

Index

A

- Activin, 118, 217
- AD, *see* Alzheimer's disease
- Age-related macular degeneration (AMD), 59–60, 62–64, 74
- Aging
 - alveolar epithelial stem cells, 169
 - DNA damage and mutations, 152–153
- Airway epithelia, *see also* Alveolar epithelial stem cells
 - archetype cells and evolution, 110
 - cells
 - distribution of epithelial functions
 - by cell type, 106–108
 - ionocytes, 103, 105
 - lineage relationships, 108–110
 - multiciliated cells, 103
 - neuroendocrine cells, 106
 - tuft cells, 105–106
 - overview, 101–104
- ALS, *see* Amyotrophic lateral sclerosis
- Alveolar epithelial stem cells
 - activation by injury, 167
 - anatomical compartments and microenvironments, 164–167
- AT2 cell
 - aging and disease, 169
 - fibroblast association, 167–168
 - functional overview, 163–164, 167
 - growth factors, 168–169
 - lung cancer studies, 173
 - proliferation restraint, 168
 - repair signaling, 169–171
 - prospects for study, 174
- Alzheimer's disease (AD), induced pluripotent stem cell–derived neuron models, 6–7
- AMD, *see* Age-related macular degeneration
- Amyotrophic lateral sclerosis (ALS), induced pluripotent stem cell–derived neuron models, 6–7
- Angiotensin, 207
- ARX, 118
- ASD, *see* Autism spectrum disorder
- ASLX1, 150, 152
- Autism spectrum disorder (ASD), induced pluripotent stem cell–derived neuron models, 7–9

B

- BDNF, 238
 - Bestrophin, 60
 - β Cell, *see* Diabetes; Pancreas
 - Biomaterials
 - cell fate manipulation
 - biochemical factors
 - controlled release from biomaterials, 91–92
 - immobilization on biomaterials, 91
 - reversible immobilization of biochemical clues, 92–93
 - biochemically defined static biomaterials, 90–91
 - reversible stiffening biomaterials, 89
 - softening biomaterials, 87–88
 - stiffening biomaterials, 88–89
 - tunable mechanics of biomaterials, 86
 - tunable stress-relaxation biomaterials, 90
 - stem cell
 - behavior detection, 93–94
 - culture advances, 84–86
- Bipolar disorder, induced pluripotent stem cell–derived neuron models, 7–9
- BMP4, 171
 - BMP6, 20
 - BMP7, 21
 - BMPRI α , 172
- Brain organoid
- assembled organoids, 26–27
 - cell diversity and architecture, 23–26
 - cell survival and maturation, 26
 - circuit formation, 24–25
 - historical perspective
 - extracellular matrix gels, 19–20
 - three-dimensional brain protocols, 19
 - neuronal activity and maturation, 24
 - overview, 16–17
 - patterning
 - heterogeneity–uniformity tradeoff, 22–23
 - self-patterning, 20–21
 - small molecules in organoid patterning, 21–22
 - prospects for study, 28
 - signaling center assembly, 27–28

C

- CACNA1C, 9
- Cancer

Index

- Cancer (*Continued*)
alveolar epithelial stem cells in lung cancer, 173
initiation and somatic mutations, 151–152
lineage-tracing research, 190–192
stem cell imaging
 maintenance by cancer stem cells, 261–263
 progression, 260
 tumor initiation, 259–261
- CARM1, 210
CCL2, 170
CD45, 184
CD73, 73
CDKL5, 9
CDX2, 205
- Cell fate, *see* Biomaterials; Preimplantation embryo;
 Multimodal single-cell analysis
- CFTR, 105
CGD, *see* Chronic granulomatous disease
Chronic granulomatous disease (CGD),
 gene therapy, 35–36
COL7A1, 42–44, 47
COL17A1, 149
CRISPR/Cas9
 multimodal single-cell analysis, 240
 progenitor cell discovery, 192–194
 skin disease gene editing
 epidermolysis bullosa
 dominant, 47
 recessive, 47
 epidermolytic ichthyosis, 48
 limitations, 48
 overview, 46–47
- CTLA-4, 120
CXCL12, 282
- D**
- Diabetes
 regenerative therapies
 hepatocyte reprogramming to β cells, 134–136
 overview, 132
 prospects, 136–138
 reprogramming somatic cells to β cells,
 132–134
 type 1
 β -cell development, 116–117
 historical perspective, 116
 overview, 115–116
 stem cell therapy, 117–120
- DIS2, 8
DISC1, 8
DKK-1, 68
DNA damage
 model systems for spontaneous mutation
 in tissues, 154–156
 mutation
 aging, 152–153
 cancer initiation and somatic mutations, 151–152
 clonal expansion in blood and solid
 tissues, 150
 diversity in somatic genomes, 149–150
 mechanisms, 144–145
 stem cell
 persistent damage and decline, 153–154
 protection
 competition between cells and lineages,
 147–149
 DNA damage response and repair,
 145–147
 quiescence, 147
- DNMT3A*, 150, 152
DNMT3A/B, 212
- E**
- EB, *see* Embryoid body; Epidermolysis bullosa
EC, *see* Endothelial cell
ECM, *see* Extracellular matrix
EGFR, 168–169, 173
Embryogenesis, *see* Preimplantation embryo
Embryoid body (EB), history of study, 17
Embryonic stem cell (ESC)
 artificial embryo derivation, 216–217
 history of study, 17
 neural fate promotion, 17–19
 properties
 human, 217–218
 mouse, 213–216
- EMT, *see* Epithelial-to-mesenchymal transition
Endothelial cell (EC)
 imaging of generation, 251
 progenitor discovery
 blood vessels, 184, 186
 lymphatic vessels, 186–187
- Enterocyte, 103
EOMES, 216
Epidermolysis bullosa (EB)
 gene editing
 dominant, 47
 recessive, 47
 gene therapy, 34–35, 37, 40–46
Epidermolytic ichthyosis, gene editing, 48
Epigenetics, preimplantation embryo, 210–213
Epithelia, *see* Airway epithelia; Intestinal epithelia
Epithelial-to-mesenchymal transition (EMT),
 238–239
- ESC, *see* Embryonic stem cell
ESRRB, 214, 216
ETS2, 216
Extracellular matrix (ECM)
 decellularized matrix for culture, 84–85
 stem cell niche, 84–85

- F**
- FGF, *see* Fibroblast growth factor
 - FGFR2, 171
 - Fibroblast growth factor (FGF), 278
 - FGF2, 21
 - FGF8, 21
 - FGF10, 171
 - FGF19, 21–22
 - Fli1, 235
 - FOXA2, 117
 - FOXI1, 105
 - FUS, 7
- G**
- Gata1, 235
 - GATA3, 205, 216
 - GATA6, 216
 - GBX2, 214
 - GCG, 118
 - Gdf9, 239
 - GDNF, 271, 273, 278
 - Gene editing, *see* CRISPR/Cas9
 - Gene therapy, skin diseases, *see also specific diseases*
 - epidermal stem cell targeting, 38–40
 - overview, 34
 - prospects, 49
 - vectors
 - herpes simplex virus, 37–38
 - lentivirus, 36–37
 - retrovirus, 35–36
 - Germ line stem cell (GSC), *Drosophila*, 280–281
 - GESTALT, 192
 - GFR α 1, 271, 277–278
 - GSK3B, 6
- H**
- Hair follicle, stem cells, 145–149, 187–188, 254, 259, 277–278, 281–282
 - Hematopoietic stem cell (HSC)
 - imaging
 - generation, 251
 - regenerative processes, 257
 - multimodal single-cell analysis, 237–238
 - niche, 282
 - progenitor discovery, 184–185
 - quantitative modeling, 301–302
 - Hepatocyte growth factor (HGF), 169
 - Herpes simplex virus (HSV), gene therapy
 - vector for skin, 37–38
 - HGF, *see* Hepatocyte growth factor
 - Hippo, 207–208
 - HLA-G, 120
 - HNF4a, 117
 - HPX, 23
 - HSC, *see* Hematopoietic stem cell
 - HSV, *see* Herpes simplex virus
 - Hydrogel, stem cell culture, 85
- I**
- Idiopathic pulmonary fibrosis (IPF), 169
 - IGFR, 169
 - Induced pluripotent stem cell (iPSC)
 - brain disorder modeling with derived neurons
 - neurodegenerative disorders, 6–7
 - neuropsychiatric disorders, 7–9
 - overview, 1–3
 - prospects for study, 9–10
 - validity of model system, 3–6
 - epidermal repair, 40
 - Inner cell mass, *see* Preimplantation embryo
 - Insulin, 21
 - Interfollicular epidermis (IFE), 276, 282, 299–301
 - Intestinal epithelia
 - archetype cells and evolution, 110
 - cells
 - distribution of epithelial functions
 - by cell type, 106–108
 - enterocytes, 103
 - enteroendocrine cells, 106
 - lineage relationships, 108–110
 - tuft cells, 105–106
 - crypt stem cells, 281, 295–299
 - overview, 101–104
 - stem cells in regeneration, 188
 - Intravital microscopy (IVM)
 - organogenesis, 251–253
 - overview, 249–251
 - stem cell imaging
 - cancer
 - maintenance by cancer stem cells, 261–263
 - progression, 260
 - tumor initiation, 259–261
 - plasticity during tissue homeostasis, 253–257
 - prospects, 264
 - regenerative processes, 257–259
 - IPF, *see* Idiopathic pulmonary fibrosis
 - IPF1, 117
 - iPSC, *see* Induced pluripotent stem cell
 - IVM, *see* Intravital microscopy
- K**
- KCC2, 24
 - Klf1, 235
 - KLF2, 214
 - KLF4, 214–215
 - KRAS, 263
 - KRT1, 48
 - KRT10, 48

Index

L

- LAMA3, 41
- LAMB3, 41–42
- LAMC2, 41
- LATS1/2, 207
- LCA, *see* Leber congenital amaurosis
- Leber congenital amaurosis (LCA), 70
- LEKTI, 46
- LincGET*, 210–211, 213
- LINE1, 149, 212–213
- Lineage tracing, *see also* Multimodal single-cell analysis
 - cancer research, 190–192
 - historical perspective, 178–180
 - progenitor cell discovery
 - endothelial cell progenitors
 - blood vessels, 184, 186
 - lymphatic vessels, 186–187
 - hematopoietic stem cell progenitors, 184–185
 - overview, 177–178
 - vascular smooth muscle cell progenitors, 187
 - prospects, 192–195
 - site-specific recombination systems, 180–182
- Liver
 - developmental relationship with pancreas, 127–132
 - hepatocyte reprogramming to β cells, 134–136
 - structure and function, 126–127
- LOH, *see* Loss of heterozygosity
- Loss of heterozygosity (LOH), 145, 149–150
- LRAT, 60
- Lung, *see* Alveolar epithelial stem cells

M

- MAFA, 117
- Mammary stem cell, 302–303
- MCM4, 153
- MCM6, 153
- MECP2, 9
- MERTK, 60
- Mettl7a1, 238
- Microglia, brain organoids, 26
- MMP14*, 168
- Multimodal single-cell analysis
 - molecular mechanism inference, 234–236
 - molecular time inference, 239–241
 - overview of techniques, 228–232
 - prospects, 241–242
 - pseudotime concept, 236–239
 - single-cell map charting, 233–234
 - single-cell state defining, 229, 233
- Mutation, *see* DNA damage
- MYC, 215–216

N

- NANOG, 210
- Neat1*, 210–211

- NEB, *see* Neuroepithelial body
- NESTIN, 23
- Netherton syndrome (NS), gene therapy, 46
- Neuroepithelial body (NEB), 106
- NF2, 207
- NGN3, 117
- NHEJ, *see* Nonhomologous end-joining
- NKCC1, 24
- NKX6.1, 117–118
- Noggin, 68
- Nonhomologous end-joining (NHEJ), 144, 146
- NOTCH1*, 150, 152
- NS, *see* Netherton syndrome
- NTRK2, 238

O

- Obox6, 239
- OCT4, 205, 215
- OKT, *see* Optokinetic head tracking
- Oligodendrocyte precursor cell (OPC),
 - brain organoids, 25
- OPC, *see* Oligodendrocyte precursor cell
- Optokinetic head tracking (OKT), 72
- Organoid, *see* Brain organoid

P

- p53, 149, 151
- Pancreas, *see also* Diabetes
 - developmental relationship with pancreas, 127–132
 - hepatocyte reprogramming to β cells, 134–136
 - structure and function, 126–127
- Parkinson's disease (PD), induced pluripotent stem cell–derived neuron models, 6–7
- PAX4, 117
- PAX6, 23
- PD, *see* Parkinson's disease
- PD-L1, 120
- PDX1, 117–118
- Photoreceptor cell transplantation, *see* Retinal degeneration
- PNEC, *see* Pulmonary neuroendocrine cell
- PPM1D*, 152
- PRDM14, 210
- Preimplantation embryo
 - cell difference origins
 - epigenetic modifications and transcription
 - factor binding, 210–211
 - partitioning errors, 208, 210
 - timing, 208
 - cell fate commitment timing, 208–209
 - embryonic stem cell properties in mice, 213–216
 - first lineage decision, 205–208
 - overview, 203, 205
 - pluripotency regulation

- chromatin remodeling, 211
 - DNA methylation, 212
 - histone modifications, 211–212
 - retrotransposon activation, 212–213
 - timeline in mouse, 204
 - Proliferative vitreoretinopathy (PVR), 60
 - PTPRZ1, 23
 - Pulmonary neuroendocrine cell (PNEC), 106
 - PVR, *see* Proliferative vitreoretinopathy
- R**
- RA, *see* Retinoic acid
 - Reaggregation, history of study, 16–17
 - Retinal degeneration
 - overview, 59–61
 - photoreceptor cell transplantation
 - clinical application, 72–74
 - donor-derived cell suspensions, 64–66
 - human PSC-derived neuroretinal cell suspensions, 67–69
 - mouse PSC-derived retinal cell suspensions, 66–67
 - rescuing end-stage degeneration, 69–71
 - retinal pigment epithelial transplantation
 - animal models, 60, 62
 - clinical studies of stem cell transplantation, 62–64
 - structure, 60
 - retinal sheet transplantation, 71–72
 - Retinoic acid (RA), 117, 271, 273, 290–291
 - RPE65, 60
- S**
- Schizophrenia, induced pluripotent stem cell–derived neuron models, 7–9
 - SCID, *see* Severe combined immunodeficiency
 - SCNT, *see* Somatic cell nuclear transfer
 - Severe combined immunodeficiency (SCID), gene therapy, 35
 - SHH, 21, 27–28
 - Single-cell analysis, *see* Multimodal single-cell analysis
 - SMAD, 21
 - SOD1, 7
 - Somatic cell nuclear transfer (SCNT), 211, 215, 217
 - SOX2, 23, 205, 210, 215
 - Spermatogenesis, mouse
 - advantages as model system, 273, 275
 - overview, 269
 - spermatogenic stem cells
 - context dependence of function, 277
 - differential competence to extracellular signals, 278
 - dynamic heterogeneity, 277
 - identity and regulation, 271–273, 292
 - ligand competition, 278
 - motion, 277–278, 282–283
 - neural competition and clonal drift, 276–277
 - niche system unity and diversity, 279–280
 - open niche microenvironment, 273–274
 - population asymmetry, 275–276
 - prospects for study, 283
 - quantitative modeling, 291–293
- Sp1, 235
- SPINK5, 46
- T**
- TARDP, 7
 - TBX3, 214
 - TDP-43, 7
 - TEAD4, 207
 - TEB, *see* Terminal end bud
 - Terminal end bud (TEB), 303
 - TET2, 150, 152
 - TET3, 212
 - TFAP2C, 216
 - TFCP2L1, 214
 - TGIF2, 136
 - Transit-amplifying cell, 108
 - Trophectoderm, *see* Preimplantation embryo
- V**
- Vascular smooth muscle cell (VSMC), progenitor discovery, 187
 - VSMC, *see* Vascular smooth muscle cell
- W**
- WAS, *see* Wiscott–Aldrich syndrome
 - Wiscott–Aldrich syndrome (WAS), gene therapy, 35
 - WNT, 169–171
- Y**
- YAP1, 170, 207
- Z**
- Zfp42, 239