

# Index

## A

- Acetylcholine, 833  
Acousto-optic deflector (AOD), 791  
Actin. *See* Egg extract  
Adoptive transfer, peritoneal leukocytes  
    into tadpoles  
        confocal microscopy, 906  
        fluorescent labeling, 905  
        infection of cells, 904  
        materials, 903–904  
        overview, 903, 906  
        recipes, 906–907  
        troubleshooting, 906  
Adrian, Edgar, 833  
AKTA chromatography, immunogens for  
    antibody production, 324  
AMA. *See* Amphibian metamorphosis assay  
6-Aminonicotinamide, 1052  
AMO. *See* Antisense morpholino  
    oligonucleotide  
Amphibian metamorphosis assay (AMA),  
    1035  
Amphibian phosphate-buffered saline  
    (APBS), 902, 906, 913, 932  
Amphibian serum-free medium, 907  
Anaphase-promoting complex (APC),  
    352, 360  
Animal cap explant  
    applications, 214  
    dissection and culture  
        culture, 217  
        electrode dissection, 216  
        manual forceps dissection, 215  
        materials, 214–215  
        recipes, 217–218  
    mechanical force studies  
        compressive force application,  
            307–308  
        confocal microscopy, 307–308  
        dissection, 306–307  
        elastomeric membrane chamber  
            preparation, 304–306  
        materials, 303–304  
        recipes, 308–309  
        tensile force application, 307  
        troubleshooting, 308  
Animal cap organogenesis  
    culture, 276  
    dissection, 276  
    embryo staging, 278  
    heart, 277  
    kidney, 276  
    materials, 274–275  
    membrane removal, 275–276  
    overview, 274, 277  
    pancreas, 276  
    recipes, 278  
Antibodies  
    assessment in host animals used for  
        antibody production  
        embryo extract preparation, 329  
        enzyme-linked immunosorbent  
            assay, 332  
        materials, 328–329  
        overview, 328  
        recipes, 333–334  
        troubleshooting, 332  
        western blotting, 331–332  
    generation for *Xenopus* studies  
    host animal  
        immune response assessment,  
            325  
        immunization, 325  
        selection for antibody produc-  
            tion, 323  
    immunogen  
        affinity purification, 324  
        *Escherichia coli* expression  
            system, 325  
        expression in HEK cells, 323  
        harvesting, 323–324  
        target sequence selection,  
            322–323  
    materials, 321–322  
    overview, 321  
    recipes, 326  
    immune response assessment by  
        enzyme-linked  
        immunosorbent assay  
    absorption of antigen or pathogen,  
        936  
    antisera, 938  
    blocking, antibody incubation,  
        and development,  
            936–938  
    immunization, 935–936  
    materials, 934–935  
    overview, 934, 937  
    platforms, 938  
    secondary antibodies, 938  
    troubleshooting, 937  
    overview of applications, 289–290  
    phosphoproteins. *See* Phosphoprotein  
        analysis in embryos  
    purification  
        affinity chromatography, 343–346  
        caprylic acid extraction, 343  
        desalting on G-25 column, 344–345  
        materials, 342–343  
        overview, 342  
        quantification and storage, 344–345  
        troubleshooting, 345  
    specificity assays  
        antisense morpholino oligonucleo-  
            tide utilization, 340  
        CRISPR–Cas9  
            single-guide RNA preparation  
                and injection, 337  
            T7 endonuclease assay, 339  
            TIDE analysis, 339  
        materials, 335–336  
        overview, 335  
        recipes, 341  
        synthetic RNA preparation and  
            injection into fertilized eggs,  
                338–339  
        western blot, 339–340  
    types for embryo immunostaining, 510  
Antisense morpholino oligonucleotide  
    (AMO)  
    antibody specificity assay utilization, 340  
    loss-of-function experiments, 543  
AOD. *See* Acousto-optic deflector  
APBS. *See* Amphibian phosphate-buffered  
    saline  
APC. *See* Anaphase-promoting complex  
Assay for transposase-accessible chromatin  
    (ATAC)  
    overview, 650  
    principles, 649  
    prospects, 651  
    single-cell ATAC-Seq, 636  
*Xenopus tropicalis* embryo ATAC-Seq  
    lysate preparation, 662–663  
    materials, 661–662  
    overview, 661  
    polymerase chain reaction, 663–664  
    quality checks, 665  
    recipes, 666  
    sequencing, 665–666  
    transposition, 663  
    troubleshooting, 664–665

## Index

- Aster assembly. *See* Egg extract  
ATAC. *See* Assay for transposase-accessible chromatin
- Axon  
  optic axon branching and synaptic differentiation imaging in tadpole  
  axon arbor analysis, 822  
  in vivo real-time imaging, 821–822  
  materials, 818–819  
  overview, 818, 823–824  
  recipes, 824  
  retinal ganglion cell electroporation, 819–821  
  troubleshooting, 823  
regeneration in central nervous system and tracing  
  harvesting and embedding, 979  
  label preparation, 977  
  materials, 976–977  
  overview, 976, 979–980  
  sectioning and visualization, 979  
  spinal cord transection and labeling, 977–979
- B**
- BDNF. *See* Brain-derived neurotrophic factor  
Behavior. *See* Schooling; Visual collision avoidance  
BK channel. *See* Oocyte patch-clamp  
Blastomere. *See* Cleavage blastomere; Embryo fate mapping and lineage tracing  
BMB blocking solution, 502  
Bouin's fixative, 502  
Brain  
  electroporation-mediated gene transfer in tadpoles  
  electrical system, 751–752  
  electroporation, 753–754  
  fluorescent protein expression screening, 754  
  husbandry, 751  
  injection, 752–753  
  materials, 750–751  
  overview, 750, 754–755  
  troubleshooting, 752  
  live imaging in tadpole, 525–527  
  locomotory system development, 835  
  mitochondrial dynamics imaging in tadpole  
  confocal microscopy, 807  
  electroporation of brain cells, 806–807  
  husbandry, 806  
  image analysis, 807–809  
  materials, 804–806  
  overview, 804  
  recipes, 810  
tadpole tissue harvesting, 738  
vocalization pathways. *See* Vocalization  
whole-brain calcium imaging in larvae  
  dye injection, 813  
  image processing and evaluation, 815  
  materials, 811–812  
  multiphoton imaging of odor-evoked neuronal activity, 813–815  
  overview, 811, 815–816  
  recipes, 816  
  whole-mount preparation, 812–813
- Brain-derived neurotrophic factor (BDNF), 792  
BRB80, 459  
Britton–Robinson buffer, 722  
Brown, Don, 1
- C**
- Calcium/calmodulin-dependent protein kinase II (CaMKII), 792  
Calcium imaging. *See* Neuron imaging  
Calcium magnesium-free medium (CMFM), 217  
C-AM. *See* Complete-amphibian medium  
CaMKII. *See* Calcium/calmodulin-dependent protein kinase II  
Cdc42, 972–973  
Cell cycle  
  cell-free extract studies, 347–348  
  egg extract analysis in Teflon chambers  
  comparison of chamber materials, 368  
  extraction, 365–366  
  imaging, 366–368  
  materials, 363–364  
  overview, 363  
  recipes, 368–369  
  kinetics. *See* Ciliary marginal zone  
  manipulation in vitro, 424  
  mitotic checkpoint function analysis in egg extracts  
  CSF-arrested extract, 462  
  histone H1 kinase assay, 463  
  materials, 461–462  
  overview, 461, 463  
  recipes, 464  
  releasing of arrested extract, 462  
Cell dynamics, embryo studies, 288  
Cell fate mapping. *See* Cleavage blastomere; Embryo fate mapping and lineage tracing  
Cell-free extracts. *See also* Egg extract; Embryo extract  
  cell cycle studies, 347–348  
  cytoskeletal and membrane structure assembly in vitro, 350  
  overview of preparation, 348  
  protein depletion studies, 349
- Centromere  
  assembly in egg extracts  
  chromatin bead arrays  
  CSF-arrested extracts, 454  
  cycled extracts, 455  
  immunofluorescence staining, 455  
  materials, 452–453  
  overview, 426, 452, 457–458  
  recipes, 448–450  
  recipes, 458–460  
  sperm pronuclear chromatin isolation and hydroxyapatite purification of histone complexes, 444–445
- Charcoal-treated serum (CTS), 749  
Chemical screening  
  advantages of *Xenopus*, 995  
  egg extract  
  incubation conditions, 999–1000  
  materials, 998–999  
  overview, 998, 1008  
  recipes, 1000  
  Z-factor scoring, 999  
  library screening for drug discovery automation, 1011  
  behavioral readouts, 1012–1013  
  commercial chemical libraries, 1003–1004  
  confirmatory testing, 1007  
  design of screen, 1008–1009  
  disease models, 1010  
  embryo  
  fixation for storage, 1007  
  phenotype scoring, 1006  
  staging, selection, and distribution, 1005–1006  
  exposure, 1010  
  hit rates, 1011  
  imaging, 1007  
  library  
  handling, 1005  
  selection, 1009–1010  
  materials, 1002–1004  
  overview, 1002, 1013  
  phenotype detection and types, 1007, 1011–1012  
  recipes, 1014–1015  
  screening, 1006  
  secondary screening, 1013  
  toxicity, 1010–1011  
  troubleshooting, 1007–1008  
  overview, 995–996  
  tail regeneration assay for drug screening

- amputation assay, 1020
  - materials, 1016–1017
  - overview, 1016, 1022–1023
  - recipes, 1023
  - scoring regeneration, 1020–1021
  - screen design and drug preparation, 1017–1020
  - troubleshooting, 1021–1022
  - ChIA-PET
    - chromatin immunoprecipitation for chromatin interaction analysis in tadpoles
    - chromatin immunoprecipitation, 771–773
    - chromatin
      - fragmentation, 770–771
      - isolation, 769–770
    - materials, 767–769
    - overview, 767, 775
    - quantification of DNA fragments and enrichment, 773–774
    - recipes, 775
    - troubleshooting, 774
  - chromatin interaction analysis in tadpoles
    - chromatin-DNA complex elution, 782
    - de-crosslinking, 783
    - DNA purification, 783
    - Dynabead preparation, 784
    - end blunting of DNA fragments, 781
    - iPET DNA
      - immobilization, 784
      - library construction, 784
      - nick translation, 784
      - polymerase chain reaction, 785
    - library
      - amplification and purification, 785
      - quantification, 786
    - ligation of biotinylated linkers, 781–782
    - linker-added DNA fragments
      - circularization, 783
      - phosphorylation, 782
    - materials, 777–779
    - MmeI* digestion, 783
    - oligonucleotide hybridization, 779, 780
    - overview, 777, 780, 787
    - recipes, 787–789
    - troubleshooting, 786–787
  - ChIP. *See* Chromatin immunoprecipitation
  - Chlamydia*. *See* TaqMan assay for pathogen detection
  - Chromatin. *See* Assay for transposase-accessible chromatin; Centromere; ChIA-PET; Chromatin-binding proteins; Chromatin immunoprecipitation; Chromosome; DNase-Seq; Egg extract; Embryo extract; Hi-C; Kinetochores
  - Chromatin-binding proteins, ectopic expression in early embryos
  - ChIP. *See* Chromatin immunoprecipitation
  - embryo
    - cross-linking, 317
    - preparation, 316–317
  - fractionation and chromatin extraction, 317–318
  - materials, 315–316
  - overview of embryo studies, 288–289, 315
  - recipes, 319–320
  - troubleshooting, 319
  - western blotting, 318–319
- Chromatin immunoprecipitation (ChIP). *See also* ChIA-PET
- ChIP-Seq in embryos
  - chromatin isolation, 654–655
  - chromatin mapping
    - data analysis, 700–701
    - DNA recovery from immunoprecipitate, 698–699
    - extraction of chromatin, 696
    - immunoprecipitation, 697–698
    - materials, 693–694
    - overview, 693
    - polymerase chain reaction, 699
    - protein cross-linking, 695
    - recipes, 701–702
    - sonication, 696–697
    - troubleshooting, 699
  - data analysis, 658–659
  - immunoprecipitation, 655–657
  - library construction, 657
  - materials, 653–654
  - overview, 650, 653
  - recipes, 659–670
  - sonication, 655
  - troubleshooting, 658
- principles, 649
- Ciliary marginal zone (CMZ), cell cycle kinetics analysis
  - calculation of phase lengths, 298–299
  - limitations, 299–300
  - materials, 292–293
  - overview, 292
  - PH3 labeling and manual counting, 297–298
  - principles, 294–295
  - recipes, 300–301
  - rehydration and staining, 297
  - tadpole fixation, dehydration, and sectioning, 296
  - tadpole labeling with EdU, 293–294
- Cis*-regulatory module analysis. *See* Embryo microinjection
- Cleavage blastomere applications, 199
  - deletion and transplantation to test cell fate commitment
  - deletion, 208–210
  - dish preparation, 208
  - embryo selection and labeling, 208
  - materials, 206–207
  - overview, 206, 211
  - recipes, 212–213
  - transplantation, 210–211
  - troubleshooting, 211
- explant culture
  - culture, 201–203
  - dish preparation, 201
  - embryo selection and labeling, 201
  - materials, 199–200
  - recipes, 204–205
  - tips, 204
  - fate mapping, 199, 203
- CMFM. *See* Calcium magnesium-free medium
- CMZ. *See* Ciliary marginal zone
- CNC explant. *See* Cranial neural crest explant
- CNC transplant. *See* Cranial neural crest transplant
- Collision avoidance. *See* Visual collision avoidance
- Complete-amphibian medium (C-AM), 932
- Confocal microscopy. *See* Adoptive transfer; Animal cap explant; Embryo live imaging; Neuron imaging; Oocyte whole-mount immunofluorescence
- Contact inhibition of locomotion. *See* Cranial neural crest explant
- Cranial neural crest (CNC) explant applications, 263, 267
  - contact inhibition of locomotion, 267
  - dish preparation, 264
  - embryo selection, 265
  - materials, 263–264
  - microsurgery, 265–266
  - recipes, 267–268
  - transplant. *See* Cranial neural crest transplant
  - troubleshooting, 266
- Cranial neural crest (CNC) transplant applications, 269, 273
  - grafting, 270–272
  - materials, 269–270
  - migration imaging, 272–273
  - recipes, 273
- Creatine phosphate, 439
- Creatine phosphokinase, 439, 483
- CRISPR–Cas9

## Index

- CRISPR–Cas9 (*Continued*)  
antibody specificity assay utilization  
  single-guide RNA preparation and injection, 337  
  T7 endonuclease assay, 339  
  TIDE analysis, 339  
gynogenetic embryo production in *Xenopus tropicalis* for rapid screening of gene editing phenotypes  
  boosting, 630  
  cold shock, 630–632  
  dejellied embryos, 633  
  fertilization, 631  
  materials, 628–629  
  overview, 628, 633–634  
  priming females, 629–630  
  recipes, 634  
  screening, 633  
  troubleshooting, 633  
homology-directed repair using long single-stranded DNA  
  template microinjection of embryos  
  efficiency evaluation, 620–621  
  limitations, 625  
  long single-stranded DNA template design, 621–622  
  injection, 624–625  
  synthesis, 622–623  
  toxicity assessment, 623–624  
  materials, 618–619  
  overview, 618, 625  
  recipes, 626  
  sgRNA synthesis, 619–620  
  target site identification, 619–620  
  troubleshooting, 625  
human disease model generation  
  controls, 588  
  gene expression data, 586  
  gene identification, 585–586  
  genetic architecture of disorder, 586–587  
  materials, 584–585  
  overview, 584, 588–589  
  phenotyping assays, 587  
  rescue, 587–588  
  validation, 588  
  variable penetrance and expressivity, 588  
oocyte nonmosaic mutant generation  
  egg collection and fertilization, 563–564  
  genotyping  
  genomic DNA extraction from tadpoles, 564  
  sequencing, 564  
  homology-directed repair optimization, 565  
  host transfer of oocytes, 563  
  materials, 559–560  
  microinjection, 462–463  
  overview, 559  
  recipes, 565–566  
  sgRNA preparation, 561  
  target site identification, 561  
  overview of applications, 544  
  tissue-targeted genome editing in *Xenopus laevis* embryos  
  Cas9 dilution, 574  
  DNA extraction, 575–577  
  efficiency evaluation, 577–578, 581  
  ICE analysis, 581–582  
  materials, 568–570  
  microinjection, 574–575  
  overview, 568, 580–582  
  recipes, 582  
  sgRNA  
  design, 570  
  synthesis, 572–574  
  template synthesis, 570–572  
  TIDE analysis, 581–582  
  troubleshooting, 578–580  
*Xenopus tropicalis*  
  efficiency evaluation, 553–554, 556  
  materials, 548–549  
  microinjection, 551, 553  
  overview, 548  
  recipes, 556–557  
  sgRNA preparation, 550–552  
  target site identification, 549–550, 555–556  
  troubleshooting, 554  
*Cryptosporidium*. *See* TaqMan assay for pathogen detection  
CSF. *See* Cytostatic factor  
CSF-XB, 361, 409, 459  
CTS. *See* Charcoal-treated serum  
Cycloheximide, 470  
Cytostatic factor (CSF), 347–348, 376, 378, 391, 424, 438, 461–462  
Cytoskeleton  
  filopodia-like actin bundle formation in egg extract  
  extract preparation, 391–392  
  filopodia-like structure formation, 393–394  
  lipid bilayer preparation, 392–393  
  liposome preparation, 392  
  materials, 390–391  
  overview, 390, 394  
  recipes, 395  
  troubleshooting, 394  
live imaging in growth cones and neural crest cells  
  culture dish coating, 515  
  markers, 514  
  materials, 513–515  
  microscopy and analysis, 518–519  
  neural crest culture, 518  
  neural tube culture, 517–518  
  overview, 513, 520  
  recipes, 520–522  
  RNA injection of fluorescent fusion proteins, 515–516  
  troubleshooting, 519–520  
  structure assembly in cell-free extracts, 350
- ## D
- Defolliculation. *See* Oocyte isolation  
Dejellied embryos, 57–58, 63  
Dendrite. *See* Neuron imaging  
Denhardt's solution, 503  
Dent's fixative, 511  
DFA medium, 218, 240, 249, 260, 308, 541  
DMZ explant. *See* Dorsal marginal zone explant  
DNA replication. *See* Egg extract; Nucleoplasmic extract; Sperm  
DNase-Seq  
  chromatin accessibility analysis in *Xenopus tropicalis* embryos  
  data analysis, 672  
  digested fragment recovery, 672  
  DNase I digestion, 671  
  library construction, 672  
  materials, 668–670  
  nuclei isolation, 670  
  overview, 668  
  recipes, 673–674  
  troubleshooting, 672  
  validation by polymerase chain reaction, 672  
  overview, 650  
  principles, 649  
Dorsal marginal zone (DMZ) explant  
  coverslip bridge effects, 239  
  embryo preparation, 235  
  gene expression analysis, 240  
  materials, 233–234  
  mediolateral intercalation behavior, 239  
  microsurgery, 236–238  
  overview, 233, 238–239  
  recipes, 240  
Drug discovery. *See* Chemical screening
- ## E
- Earle's balanced salt solution (EBSS), 902  
EBSS. *See* Earle's balanced salt solution  
EDCs. *See* Endocrine-disrupting chemicals  
EdU. *See* 5-Ethynyl-2'-deoxyuridine  
Egg extract  
  assembly of spindles and asters  
  aster assembly, 380

- coverslip passivation, 382
- general considerations, 382
- imaging, 380–381
- materials, 376–377
- overview, 376
- recipes, 382–383
- spindle assembly
  - CSF spindles, 378
  - cycled spindles, 378
- troubleshooting, 381
- branching microtubule nucleation
  - protein complex analysis
  - antibody coupling to magnetic protein A beads, 386
- flow cell preparation, 386
- immunodepletion and immunoprecipitation, 388
- incubation, 386–387
- materials, 385–386
- overview, 385
- tandem mass spectrometry, 388–389
- total internal reflection fluorescence microscopy, 388
- cell cycle analysis in Teflon chambers
  - comparison of chamber materials, 368
  - extraction, 365–366
  - imaging, 366–368
  - materials, 363–364
  - overview, 363
  - recipes, 368–369
- centromere and kinetochore assembly
  - chromatin bead arrays
    - CSF-arrested extracts, 454
    - cycled extracts, 455
  - immunofluorescence staining, 455
  - materials, 452–453
  - overview, 426, 452, 457–458
  - recipes, 458–460
- chemical screening
  - incubation conditions, 999–1000
  - materials, 998–999
  - overview, 998, 1008
  - recipes, 1000
  - Z-factor scoring, 999
- chromatin characterization
  - materials, 442–443
  - overview, 442, 448
  - recipes, 448–450
  - troubleshooting, 448
- chromosome cohesion and condensation analysis
  - condensation assay, 437–438
  - materials, 434–435
  - overview, 434, 438
  - recipes, 439–440
  - sister chromatid cohesion assay, 435–437
  - troubleshooting, 438
- DNA replication analysis
  - demembranated sperm chromatin preparation, 475–476
  - high-speed supernatant extract preparation, 479–480
  - low-speed supernatant extract preparation, 478–479
  - materials, 473–474
  - nucleoplasmic extract preparation, 480–481
  - overview, 473, 482–483
  - recipes, 483–484
  - troubleshooting, 481–482
- endoplasmic reticulum network
  - formation
    - coverslip passivation, 400–401
    - crude interphase extract preparation, 398–399
  - endoplasmic reticulum network assembly
    - CSF extract, 401
    - membranes with or without cytosol, 401–402
  - interphase cytosol and light membrane preparation, 399
  - interphase light membrane preparation, 400
  - materials, 396–398
  - overview, 396, 402
  - recipes, 403
  - unlabeled light membrane preparation, 399–400
- filopodia-like actin bundle formation
  - extract preparation, 391–392
  - filopodia-like structure formation, 393–394
  - lipid bilayer preparation, 392–393
  - liposome preparation, 392
  - materials, 390–391
  - overview, 390, 394
  - recipes, 395
  - troubleshooting, 394
- microfluidic encapsulation of demembranated sperm nuclei
  - materials, 405–406
  - microfluidic device
    - loading, 408
    - preparation, 406–408
  - overview, 405, 409
  - recipes, 409–410
  - troubleshooting, 409
- mitotic checkpoint function analysis
  - CSF-arrested extract, 462
  - histone H1 kinase assay, 463
  - materials, 461–462
  - overview, 461, 463
  - recipes, 464
  - releasing of arrested extract, 462
- nucleus assembly and import studies
  - imaging, 468
  - import imaging and quantification, 468–470
  - materials, 466–467
  - nuclei assembly, 467
  - overview, 466, 470
  - recipes, 470–471
  - troubleshooting, 470
- preparation
  - extraction
    - Xenopus laevis* eggs, 354–356
    - Xenopus tropicalis* eggs, 356–360
  - materials, 352–354
  - overview, 352
  - recipes, 361–362
- protein degradation studies
  - control protein, 414
  - gel electrophoresis and radiography, 413–414
  - incubation conditions, 412–413
  - materials, 411–412
  - radiolabeled protein transcription/translation, 412
  - recipes, 415
  - western blot, 41
- protein immunodepletion and complementation
  - antibody bead coupling, 372–373
  - complementation
    - mRNA expression, 373–374
    - recombinant protein add-back, 373
  - immunodepletion, 373
  - materials, 371–372
  - overview, 371
  - recipes, 375
- protein ubiquitylation analysis
  - bead binding, washing, and elution, 419–420
  - controls, 421
  - expected output for proteins, 417–419
  - gel electrophoresis, 421
  - materials, 416–417
  - overview, 416
  - radiolabeled protein transcription/translation, 419
  - recipes, 421–422
  - ubiquitylation, 419
- Egg harvesting
  - frog handling, 25
  - healthy egg recognition, 26
  - Xenopus laevis*
    - boosting, 29–30, 32
    - expulsion of eggs, 30–32
    - hormone solutions, 32
    - materials, 28–29
    - overview, 28
    - priming, 29
    - recipes, 32–33



## Index

- Egg harvesting (*Continued*)  
*Xenopus tropicalis*  
expulsion of eggs, 50  
fertilizing naturally laid eggs,  
78–79  
materials, 46–47  
overview, 46  
priming and boosting, 47–49  
recipes, 52  
troubleshooting, 50–52
- Einsteck transplant  
applications, 231  
grafting, 229–230  
materials, 227, 229  
overview, 227–228  
recipes, 231  
troubleshooting, 230
- Electrophysiology. *See* Eye; Patch-clamp;  
Vocalization
- Electroporation. *See* Brain; Neuron  
imaging
- ELISA. *See* Enzyme-linked immunosorbent  
assay
- Embryo ATAC. *See* Assay for transposase-  
accessible chromatin
- Embryo CHIP-Seq. *See* Chromatin  
immunoprecipitation
- Embryo CRISPR. *See* CRISPR–Cas9
- Embryo cryosectioning and  
immunostaining  
embedding and cryosectioning,  
508–509  
fixation, 508  
indirect immunofluorescence,  
509–510  
materials, 506–507  
overview, 506  
recipes, 511  
troubleshooting, 510–511
- Embryo extract  
chromatin characterization  
chromatin isolation, 446  
materials, 442–443  
micrococcal nuclease analysis, 447  
overview, 442, 448  
plasmid chromatin assembly reac-  
tion and supercoiling analysis  
in extract, 446  
troubleshooting, 448  
preparation  
extraction, 358–360  
materials, 352–354  
overview, 352  
recipes, 361–362  
protein degradation studies  
control protein, 414  
gel electrophoresis and radiography,  
413–414  
incubation conditions, 412–413  
materials, 411–412  
radiolabeled protein transcription/  
translation, 412  
recipes, 415  
western blot, 41
- protein ubiquitylation analysis  
bead binding, washing, and elution,  
419–420  
controls, 421  
expected output for proteins,  
417–419  
gel electrophoresis, 421  
materials, 416–417  
overview, 416  
radiolabeled protein transcription/  
translation, 419  
recipes, 421–422  
ubiquitylation, 419
- Embryo fate mapping and lineage tracing  
blastomere nomenclature, 160  
body axis identification, 160  
fate commitment testing, 151  
gene expression modification, 152  
imaging  
fluorescence microscopy, 158  
 $\beta$ -Gal-labeled specimens, 158–159  
lineage tracer  
blastomere labeling  
embryo selection, 156–157  
fixation, 158  
microinjection and culture,  
157–158  
preparation, 156  
selection, 159–160  
materials, 154–155  
microinjection of mRNAs and  
oligonucleotides  
dish preparation, 167  
embryo selection, injection, and  
culture, 170–171  
materials, 164–166  
micropipette  
calibration, 169–170  
filling, 168  
preparation, 167–168  
overview, 164, 171–172  
recipes, 172–173  
overview, 149–151, 154  
pigmentation differences and cell  
nomenclature in  
development, 150–151  
recipes, 160–162
- Embryo harvesting  
gynogenetic production in *Xenopus  
tropicalis* for rapid screening  
of gene editing phenotypes  
boosting, 630  
cold shock, 630–632  
dejellying embryos, 633  
fertilization, 631  
materials, 628–629  
overview, 628, 633–634  
priming females, 629–630  
recipes, 634  
screening, 633  
troubleshooting, 633  
healthy embryo recognition, 26–27  
in vitro fertilization. *See* In vitro  
fertilization  
natural mating. *See* Mating  
RNA sequencing. *See* Single-cell RNA  
sequencing
- Xenopus laevis*  
in vitro fertilization, 35–37  
materials, 34–35  
overview, 34
- Xenopus tropicalis*  
enhancement of fertilization and  
embryo raising, 79  
temperature ranges, 80
- Embryo Hi-C. *See* Hi-C
- Embryo live imaging  
coverslip fragment preparation, 533  
materials, 531–533  
microscopy  
confocal microscopy, 540  
epifluorescence microscopy, 540  
off-axis illumination microscopy,  
539–540  
organotypic chamber preparation,  
538–539  
overview, 531, 540–541  
recipes, 541–542  
whole embryo chamber preparation,  
535–538
- Embryo microinjection  
nucleic acids for lineage tracing. *See*  
Embryo fate mapping and  
lineage tracing  
plasmids for gene misexpression and  
*cis*-regulatory module analysis  
injection solution, 177  
injection technique, 177–178  
luciferase reporter assays, 179–180  
materials, 174–175  
misexpression studies, 181–182  
overview, 174  
plasmid purification, 176–177  
reporter vectors and assays,  
182–183  
troubleshooting, 180–181
- Xenopus tropicalis*  
bubble size adjustment, 73–74  
checklist, 71–72  
dish preparation, 76  
embryo selection and  
positioning, 74  
injection technique, 75

- injection volume standardization, 70–71
- materials, 67–70
- needle
  - breaking, 73
  - mounting, 73
  - preparation, 72
- overview, 58, 67, 79–80
- practicing, 71
- recipes, 76
- solution preparation and loading, 72
- Embryo phosphoproteins. *See* Phosphoprotein analysis in embryos
- Embryo proteomics. *See* INTACT proteomics; Mass spectrometry
- Embryo whole-mount immunocytochemistry. *See* Whole-mount immunocytochemistry
- Embryo whole-mount in situ hybridization
  - antibody preadsorption, 187
  - bleaching of pigment, 189
  - chromogenic reaction, 189
  - embryo preparation, 187–188
  - imaging, 190
  - immunodetection, 189
  - materials, 185–187
  - overview, 185
  - posthybridization washes, 189
  - prehybridization and hybridization, 188–189
  - proteinase K treatment, 188
  - recipes, 191–192
  - rehydration of embryos, 188
  - riboprobe synthesis, 187
  - RNA in situ hybridization and immunofluorescence
    - colorimetric detection, 495–497, 500–501
    - hybridization chain reaction and fluorescence detection, 497–498, 500
    - materials, 491–494
    - overview, 491
    - recipes, 501–505
    - troubleshooting, 499–500
    - whole-mount immunofluorescence, 498–499
  - troubleshooting, 190
  - two-color studies, 190–191
- Embryogenesis, 731
- Endocrine-disrupting chemicals (EDCs), gene expression analysis
  - breeding, 1028–1029
  - exposure, 1029–1031
  - imaging, 1034
  - materials, 1026–1028
  - overview, 1026, 1035–1036
  - quantitative polymerase chain reaction, 1032–1033
  - recipes, 1036
  - RR-PCR, 1031–1032
  - troubleshooting, 1034–1035
- Endoplasmic reticulum. *See* Egg extract
- Enzyme-linked immunosorbent assay (ELISA), antibody response measurement
  - host animals used for antibody production, 332
  - pathogen or antigen response
    - absorption of antigen or pathogen, 936
    - antisera, 938
    - blocking, antibody incubation, and development, 936–938
    - immunization, 935–936
    - materials, 934–935
    - overview, 934, 937
    - platforms, 938
    - secondary antibodies, 938
    - troubleshooting, 937
- Erlanger, Joseph, 833
- 5-Ethynyl-2'-deoxyuridine (EdU)
  - ciliary marginal zone cell cycle kinetics analysis, 293–294
  - intestinal cell proliferation analysis during metamorphosis
    - EdU solution preparation and injection, 763
    - materials, 762–763
    - overview, 762, 765–766
    - recipes, 766
    - sectioning, 763–764
    - staining, 764–765
    - troubleshooting, 764–765
- European *Xenopus* Resource Center (EXRC), 39, 611
- Explant. *See also* Transplant
  - animal cap. *See* Animal cap explant
  - cleavage blastomere explant culture. *See* Cleavage blastomere
  - cranial neural crest. *See* Cranial neural crest explant
  - dorsal marginal zone. *See* Dorsal marginal zone explant; Keller sandwich explant
  - historical perspective
    - early embryology, 219–220
    - recent advances, 220–221
    - watershed discoveries, 220
  - Keller sandwich. *See* Keller sandwich explant
  - mesendoderm. *See* Mesendoderm explant
  - whole-mount immunocytochemistry. *See* Whole-mount immunocytochemistry
  - Xenopus tropicalis*
    - embryo preparation, 282
    - materials, 280–282
    - presumptive lens ectoderm dissection, 282–283
    - recipes, 285–286
    - transplant preparation, 284
    - troubleshooting, 285
- EXRC. *See* European *Xenopus* Resource Center
- Extracts. *See* Cell-free extracts
- Eye
  - development of visual system, 834–835
  - optic axon branching and synaptic differentiation imaging in tadpole
    - axon arbor analysis, 822
    - in vivo real-time imaging, 821–822
    - materials, 818–819
    - overview, 818, 823–824
    - recipes, 824
    - retinal ganglion cell electroporation, 819–821
    - troubleshooting, 823
  - optic tectum calcium imaging in tadpole
    - materials, 826–827
    - micropipette preparation, 827–828
  - OGB-1 AM
    - injection, 828, 830
    - solution preparation, 827
    - overview, 826, 830
    - recipes, 830–831
    - two-photon imaging, 829–830
  - regeneration. *See* Lens regeneration; Rod regeneration
  - retinotectal circuit development
    - electrophysiology in tadpole
      - materials, 858–859
      - overview, 858, 862–863
      - recipes, 863
      - recording, 860–862
      - troubleshooting, 862
      - whole-brain dissection, 859–860
    - tadpole tissue harvesting, 737
  - tectal neuron patch-clamp
    - chamber preparation, 842
    - data analysis, 844
    - materials, 840–842
    - overview, 840, 844
    - receptive field mapping, 843
    - recipes, 845
    - tadpole preparation, 842–843
    - troubleshooting, 844
  - tetrode recording of tadpole visual system
    - advantages, 854–855
    - electrode holder preparation, 849–850
    - materials, 847–849
    - overview, 847

## Index

- Eye (*Continued*)  
  recipes, 856  
  recording setup, 849, 851  
  tectal visual response recording, 852–853  
  troubleshooting, 854  
tissue culture  
  ex vivo culture, 965–966  
  lentectomy, 965  
  materials, 964–965  
  overview, 964, 967  
  recipes, 967  
  troubleshooting, 967
- F**
- Fat body, tadpole tissue harvesting, 742  
Fate mapping. *See* Cleavage blastomere; Embryo fate mapping and lineage tracing  
Fatt, Paul, 833  
FETAX. *See* Frog embryo teratogenesis assay—*Xenopus*  
Filopodia. *See* Egg extract  
Fischberg, Mikhail, 1  
Flow cytometry, immune cells  
  leukocyte isolation, 909–911  
  materials, 908–909  
  overview, 908, 913  
  recipes, 913  
  staining, 911–912  
  troubleshooting, 912–913  
Fluorescence in situ hybridization. *See* Oocyte fluorescence in situ hybridization  
Foxh1, 650, 706  
Frog embryo teratogenesis assay—*Xenopus* (FETAX)  
  data analysis and interpretation, 1047–1048  
  ecotoxicological assessment, 1051  
  embryo staging and selection, 1046  
  hazard assessment and discovery prioritization, 1048–1051  
  incubation conditions, 1046–1047  
  materials, 1045–1046  
  overview, 1045  
  recipes, 1051–1052
- G**
- Gas bubble disease, 1  
Gasser, Herbert Spencer, 833  
Gastrula dorsal marginal zone. *See* Dorsal marginal zone explant; Keller sandwich explant  
Gaze, Michael, 834  
Gene set expression analysis (GSEA), 706  
Germinal vesicle (GV)  
  aqueous spreads, 95–96  
  materials for isolation and analysis, 93–95  
  mineral oil spreads, 96  
  overview, 93  
  recipes for isolation and analysis, 97  
Giant nucleus. *See* Germinal vesicle  
Gill, tadpole tissue harvesting, 738  
Glutathione, measurement in hepatotoxicity assays, 1041–1042  
Granit, Ragnar, 834  
Growth cone. *See* Cytoskeleton  
Gsc, 650  
GSEA. *See* Gene set expression analysis  
GST pull-down, Rho GTPase activation assay, 972–974  
Gurdon, John, 1  
GV. *See* Germinal vesicle  
Gynogenesis. *See* Embryo harvesting
- H**
- Harrison, Ross, 220  
Hartline, Keffer, 834  
hCG. *See* Human chorionic gonadotropin  
Heart  
  animal cap organogenesis, 277  
  live imaging. *See* Tadpole live imaging  
  tadpole tissue harvesting, 739  
HEG solution, 701  
Hepatotoxicity. *See* Toxicity testing  
Heterologous protein expression. *See* Oocyte heterologous protein expression  
Hi-C  
  principles, 649  
  prospects, 651  
  three-dimensional genome interactions from embryo  
    biotinylation, 680  
    chromatin digestion, 679–680  
    control analysis, 686  
    DNA  
      cleanup, 685  
      cross-link reversal, 681  
      immobilization on streptavidin beads, 682–683  
      purification, 681  
      shearing, 681–582  
    embryo fixation and storage, 678  
    library analysis, 689  
    library preparation  
      adapter ligation, 683–684  
      amplification, 685  
      A-tailing, 683  
      blunting, 683  
      digestion, 686–687  
      size selection, 685–686  
    materials, 676–678  
  nuclei isolation, 678–679  
  overview, 676  
  polymerase chain reaction, 684  
  proximity ligation, 680  
  recipes, 689–691  
  sequencing rules of thumb, 688–689  
  streptavidin bead preparation, 682  
  troubleshooting, 687–688  
Histone H1 kinase, assay, 463  
HIV. *See* Human immunodeficiency virus  
Hoechst stock solution, 484  
Homology-directed repair. *See* CRISPR–Cas9  
Host transfer. *See* Oocyte host-transfer  
Hughes, Lancelot, 28  
Human chorionic gonadotropin (hCG)  
  boosting  
    egg harvesting, 28–30, 32, 47–49  
    natural mating, 39, 62, 915  
  priming for gynogenetic embryo production, 629–630  
Human immunodeficiency virus (HIV), 891  
Husbandry  
  comparison of methods between species, 77  
  historical perspective, 1–2  
  improvements, 2  
  institutional animal care and use committee, 3  
  natural mating. *See* Mating  
  pathogen detection. *See* TaqMan assay for pathogen detection  
  prospects for *Xenopus tropicalis* husbandry, 81–82  
  tadpoles to frogs. *See* Tadpole raising and maintenance to adult  
*Xenopus laevis* maintenance systems  
  materials, 4–5  
  nitrifying bacteria, 8  
  recirculation system establishment, 5  
  sterilization, 7  
  water assessment and maintenance  
    annually, 6  
    daily, 5–6  
    weekly, 6  
*Xenopus tropicalis* colony health  
  optimization for long-term propagation of animal lines, 81  
*Xenopus tropicalis* maintenance systems  
  materials, 9–10  
  nitrifying bacteria, 13  
  recirculation system establishment, 10  
  sterilization, 12  
  water assessment and maintenance  
    annually, 11  
    daily, 10–11  
    weekly, 11



- Hybridization chain reaction. *See* Embryo whole-mount in situ hybridization; Tadpole whole-mount in situ hybridization
- I**
- IACUC. *See* Institutional animal care and use committee
- IB. *See* Interphase buffer
- Imaging. *See also specific instruments and targets*  
fixed mounts, 488  
living tissues, 488–489  
neurons. *See* Neuron imaging  
overview of techniques, 487–488
- Immune response. *See* Antibodies; Immunology
- Immunofluorescence microscopy. *See* Oocyte whole-mount immunofluorescence
- Immunology. *See also* Antibodies; Peritoneal leukocyte  
adoptive transfer. *See* Adoptive transfer  
applications of *Xenopus*, 890–892  
flow cytometry of immune cells. *See* Flow cytometry  
immune gene knockdown. *See* RNA interference  
immune system of *Xenopus* overview, 889–890  
lymphocyte depletion with sublethal irradiation  
irradiation, 920  
materials, 919  
overview, 919–920  
skin graft. *See* Skin  
thymectomy. *See* Thymectomy  
tools and resources for research, 892  
tumor immunity. *See* Tumor transplantation
- Infrared laser-evoked gene operator (IR-LEGO) system. *See* Tail regeneration
- Innate-like T (iT) cell, 890–891
- In situ hybridization. *See* Embryo whole-mount in situ hybridization; Oocyte fluorescence in situ hybridization; Oocyte whole-mount in situ hybridization
- Institutional animal care and use committee (IACUC), 3
- INTACT proteomics  
applications, 729  
materials, 725–727  
nuclear targeting fusion transgenesis, 727  
nuclei isolation, 727–728  
overview, 706–707, 725
- proteomic profiling with mass spectrometry, 728–729  
recipes, 729–730
- Interphase buffer (IB), 403
- Intestine  
cell proliferation analysis during metamorphosis  
EdU solution preparation and injection, 763  
materials, 762–763  
overview, 762, 765–766  
recipes, 766  
sectioning, 763–764  
staining, 764–765  
troubleshooting, 764–765
- organ culture from tadpole  
culture of explants, 747  
dish preparation, 746–747  
explant preparation, 747  
materials, 745–746  
overview, 745, 748  
recipes, 749  
tissue recombination, 747–748  
troubleshooting, 748  
tadpole tissue harvesting, 740–741
- Intraperitoneal injection. *See* Oocyte host-transfer
- In vitro fertilization (IVF)  
host-transferred oocytes, 108  
overview, 26, 37, 54  
sperm cryopreservation and in vitro fertilization  
freezing, 614–615  
in vitro fertilization with frozen sperm, 615  
materials, 613–614  
overview, 613  
recipes, 616–617  
troubleshooting, 615–616
- Xenopus laevis*  
materials, 34–35  
sperm application, 36  
testes isolation, 35–36
- Xenopus tropicalis*  
cysteine removal, 58  
dejellying embryos, 57–58  
egg and sperm collection, 57  
fertilization, 57  
incubation of embryos, 59  
materials, 54–55  
microinjection of embryos, 58  
recipes, 59–60  
testes isolation, 56–57  
troubleshooting, 59
- In vivo transfection. *See* Tail  
Iodixanol solutions, 674  
IR-LEGO system. *See* Tail regeneration  
I-SceI-mediated transgenesis  
embryo preparation, 608–609
- materials, 607–608  
microinjection, 610  
overview, 607, 610–611  
recipes, 611–612  
RNA interference loss of function of immune genes by transgenesis  
egg microinjection, 925–926  
materials, 922–923  
overview, 922  
plasmid preparation, 924–925  
recipes, 926–927  
short hairpin RNA design, 923–924  
troubleshooting, 926  
transgenesis, 609–610
- iT cell. *See* Innate-like T cell
- IVF. *See* In vitro fertilization
- K**
- Kallisto, quantification of gene expression data, 714–715
- Katz, Bernard, 833
- Keller sandwich explant  
convergence and extension analysis, 259  
dorsal isolates, 256–260  
embryo preparation, 254–255  
materials, 251–254  
microsurgery, 255–256  
overview, 251  
recipes, 260  
troubleshooting, 258–259
- Kidney  
animal cap organogenesis, 276  
tadpole tissue harvesting, 742
- Kinetochore  
assembly in egg extracts  
chromatin bead arrays  
CSF-arrested extracts, 454  
cycled extracts, 455  
immunofluorescence staining, 455  
materials, 452–453  
overview, 426, 452, 457–458  
recipes, 448–450, 458–460  
sperm pronuclear chromatin isolation and hydroxyapatite purification of histone complexes, 444–445
- Klf4, 760
- L**
- L-15 Leibovitz culture medium, 204, 962, 968
- LabJack, 878
- LB liquid medium. *See* Luria-Bertani liquid medium
- Lens regeneration  
lentectomy, 960–961

## Index

- Lens regeneration (*Continued*)  
materials, 958–959  
overview, 958  
recipes, 961  
troubleshooting, 961
- Lettvin, Jerome, 834
- Lhx1, 650
- Lim1, 650
- Limb regeneration, larva studies  
anesthesia and amputation, 949–950  
anuran versus urodele, 950  
immunology, 951  
materials, 948–949  
overview, 948  
troubleshooting, 950  
variability, 951–952
- Lineage tracing. *See* Embryo fate mapping  
and lineage tracing
- Liver, tadpole tissue harvesting, 741, 743
- Loewi, Otto, 833, 836
- LPC protease inhibitor, 369
- Lung, tadpole tissue harvesting, 741–742
- Luria-Bertani (LB) liquid medium, 933
- Lymphocyte depletion. *See* Immunology
- M**
- MAB. *See* Maleic acid buffer
- Maintenance system. *See* Husbandry
- Maleic acid buffer (MAB), 503
- Mammalian serum-free medium (MSF), 933
- Mangold, Hilde, 220
- Marc's modified Ringer solution (MMR),  
33, 40, 52, 60, 110, 161, 172,  
197, 204, 218, 309, 362, 369,  
383, 403, 432, 440, 464, 484,  
511, 521, 556, 566, 582, 611,  
616, 626, 659, 666, 701, 723,  
975, 1014, 1023, 1044
- Mass spectrometry. *See also* INTACT  
proteomics  
branching microtubule nucleation  
protein complex analysis,  
388–389  
embryo proteomics  
anion-exchange fractionation,  
720–721  
data analysis, 721–722  
deep proteome studies, 722  
embryo collection and lysis,  
719–720, 722  
filter-aided sample preparation, 720  
mass spectrometry, 721  
materials, 718–719  
overview, 718  
peptide desalting and elution, 721  
recipes, 722–723  
troubleshooting, 722  
proteomics overview, 706
- Mating  
overview for embryo production,  
25–26, 61
- Xenopus laevis*  
ovulation and fertilization induc-  
tion, 38  
priming, 37–38  
recipes, 39  
stocks, 39
- Xenopus tropicalis*  
boosting, 62  
cysteine removal, 63  
dejellying of embryos, 63  
embryo harvesting, 63–64  
enhancing, 78  
materials, 61–62  
recipes, 65  
set up, 62–63  
troubleshooting, 64
- Maturana, Humberto, 834
- Maturation-promoting factor (MPF),  
347–348, 423
- MBS. *See* Modified Barth's saline
- MBSH, 133, 140, 146
- McCulloch, Warren, 834
- Mediolateral intercalation behavior. *See*  
Dorsal marginal zone explant
- MEM, salts, 766, 1014, 1043
- MEMFA fixative, 133, 146, 191, 197, 504,  
766, 1014, 1043
- Mesendoderm explant  
embryo preparation, 244–246  
imaging, 248  
materials, 242–244  
microsurgery, 246–248  
migrating cells, 248–249  
overview, 242, 248  
recipes, 249
- Metamorphosis  
gene regulation and function overview,  
732–733  
husbandry. *See* Tadpole raising and  
maintenance to adult  
intestinal cell proliferation analysis  
EdU solution preparation and  
injection, 763  
materials, 762–763  
overview, 762, 765–766  
recipes, 766  
sectioning, 763–764  
staining, 764–765  
troubleshooting, 764–765  
thyroid hormone signaling, 731–732
- Metronidazole. *See* Rod regeneration
- Microinjection. *See* CRISPR–Cas9;  
Embryo microinjection;  
I-SceI-mediated transgenesis;  
Oocyte microinjection;  
Oocyte patch-clamp;
- Restriction enzyme-mediated  
insertion transgenesis
- Microtubule. *See* Cytoskeleton; Egg extract
- Mitochondria, dynamics imaging  
in tadpole brain  
confocal microscopy, 807  
electroporation of brain cells, 806–807  
husbandry, 806  
image analysis, 807–809  
materials, 804–806  
overview, 804  
recipes, 810
- Mitotic checkpoint. *See* Cell cycle
- MMR. *See* Marc's modified Ringer solution
- Modified Barth's saline (MBS)  
egg collection, 78  
oocyte recipe, 91, 102  
recipes, 33, 40, 52, 60, 65, 97, 116, 161,  
172–173, 204–205, 212, 226,  
231, 240, 249, 260, 268, 273,  
286, 301, 341, 542, 582, 604,  
927, 626, 612, 617, 634, 957  
salts, 60, 65, 204, 212, 285, 300, 927
- Modified Ringer's solution (MR), 65, 76
- Modified *Xenopus* oocyte culture medium  
(MXOCM), 604
- MPF. *See* Maturation-promoting factor
- MR. *See* Modified Ringer's solution
- MS222, 109, 760, 915, 917, 979, 1036, 1051
- MSF. *See* Mammalian serum-free medium
- MXOCM. *See* Modified *Xenopus* oocyte  
culture medium
- Mycobacterium*. *See* TaqMan assay for  
pathogen detection
- N**
- NAM. *See* Normal amphibian medium
- National *Xenopus* Resource (NXR), 39
- Neural crest cell, cytoskeleton live imaging  
culture dish coating, 515  
markers, 514  
materials, 513–515  
microscopy and analysis, 518–519  
neural crest culture, 518  
neural tube culture, 517–518  
overview, 513, 520  
recipes, 520–522  
RNA injection of fluorescent fusion  
proteins, 515–516  
troubleshooting, 519–520
- Neurogenin, 414
- Neuron imaging  
central nervous system mitochondrial  
dynamics in tadpole  
confocal microscopy, 807  
electroporation of brain cells,  
806–807  
husbandry, 806

- image analysis, 807–809
- materials, 804–806
- overview, 804
- recipes, 810
- dendritic structural plasticity in tadpoles
  - data reconstruction and dynamics analysis, 799–802
  - dendritic arbor time-lapse imaging, 799
  - materials, 797–798
  - overview, 797
  - recipes, 802
  - tectal cell electroporation, 798–799
- optic axon branching and synaptic differentiation in tadpole
  - axon arbor analysis, 822
  - in vivo real-time imaging, 821–822
  - materials, 818–819
  - overview, 818, 823–824
  - recipes, 824
  - retinal ganglion cell electroporation, 819–821
  - troubleshooting, 823
- optic tectum calcium imaging in tadpole
  - materials, 826–827
  - micropipette preparation, 827–828
  - OGB-1 AM
    - injection, 828, 830
    - solution preparation, 827
  - overview, 826, 830
  - recipes, 830–831
  - two-photon imaging, 829–830
- overview, 791–794
- whole-brain calcium imaging in larvae
  - dye injection, 813
  - image processing and evaluation, 815
  - materials, 811–812
  - multiphoton imaging of odor-evoked neuronal activity, 813–815
  - overview, 811, 815–816
  - recipes, 816
  - whole-mount preparation, 812–813
- Neuron patch-clamp
  - in situ whole-cell recording of tadpole ventral neurons
    - applications, 870
    - dissection, 866, 868
    - materials, 865–866
    - overview, 865
    - recipes, 870
    - recording, 867–869
    - troubleshooting, 869
  - optic tectum neuron patch-clamp chamber preparation, 842
  - data analysis, 844
  - materials, 840–842
  - overview, 840, 844
  - receptive field mapping, 843
  - recipes, 845
  - tadpole preparation, 842–843
  - troubleshooting, 844
- Neurophysiology
  - ex vivo preparations for study, 835–836
  - history of *Xenopus* studies, 833–834
  - locomotory system development, 835
  - visual system. *See* Eye
- Nieuwkoop, Peter, 220
- Nitrifying bacteria, maintenance system
  - biofilters, 8, 13
- Nitroreductase. *See* Rod regeneration
- NMD. *See* Nonsense-mediated decay
- Nonsense-mediated decay (NMD), 644
- Normal amphibian medium (NAM), 702, 961–962, 967–968, 975
- NPB. *See* Nuclear purification buffer
- NPE. *See* Nucleoplasmic extract
- Nuclear purification buffer (NPB), 432–433, 602–603, 729, 775
- Nucleoplasmic extract (NPE)
  - DNA replication studies, overview, 425
  - preparation for DNA replication studies, 480–481
- Nucleus. *See* Egg extract; Sperm
- NXR. *See* National *Xenopus* Resource
- O**
- OCM. *See* Oocyte culture medium
- OCT. *See* Optical coherence tomography
- Oct4, 760
- oLH. *See* Ovine luteinizing hormone
- Oocyte CRISPR. *See* CRISPR–Cas9
- Oocyte culture medium (OCM), 91, 102, 109, 566
- Oocyte fluorescence in situ hybridization
  - applications, 142, 145–146
  - cryosectioning, 144
  - fixation, 143–144
  - freezing, 144
  - materials, 142–143
  - recipes, 146–147
  - RNA FISH, 144–145
  - troubleshooting, 145
- Oocyte heterologous protein expression
  - cDNA microinjection, 114
  - materials, 112–113
  - oocyte isolation and selection, 113
  - overview, 112
  - recipes, 116
  - screening for expression, 114
  - troubleshooting, 114–115
- Oocyte host-transfer
  - applications, 105, 109
  - host female preparation, 107
  - intraperitoneal injection, 107–108
  - in vitro fertilization, 108
  - materials, 105–106
  - oocyte culture, 106–107
  - recipes, 109–110
  - troubleshooting, 108–109
- Oocyte isolation
  - defolliculation
    - enzymatic, 88–90
    - manual, 88
  - germinal vesicle. *See* Germinal vesicle
  - harvesting ovarian tissue, 88
  - maintenance culture, 90
  - materials, 87–88
  - recipes, 91–92
  - sorting by stage, 90
  - troubleshooting, 90–91
- Oocyte microinjection. *See also* Oocyte heterologous protein expression
  - applications, 101–102
  - injection technique, 100
  - materials, 98–99
  - mRNA for patch-clamp. *See* Oocyte patch-clamp
  - overview, 98
  - preparation for microinjection, 99
  - recipes, 102–103
  - troubleshooting, 101
- Oocyte patch-clamp
  - BK channel studies, 117, 124
  - materials, 117–118
  - microinjection of mRNA, 119
  - oocyte preparation, 118–119
  - overview, 117
  - patch clamping
    - inside-out patch, 122
    - mounting, 121–122
    - outside-out patch, 122–123
    - system preparation, 121
  - perfusion system preparation, 119–120
  - recipes, 124–125
  - troubleshooting, 123
- Oocyte reagent 2 (O-R2), 92, 103
- Oocyte whole-mount immunocytochemistry. *See* Whole-mount immunocytochemistry
- Oocyte whole-mount immunofluorescence
  - confocal imaging, 138–139
  - fluorescently-labeled RNA preparation, 135–137
  - materials, 134–135
  - mRNA distribution imaging, 134, 139
  - oocyte
    - fixation, 137–138
    - microinjection, 137
    - preparation, 137
  - overview, 134
  - recipes, 140
  - troubleshooting, 139

## Index

- Oocyte whole-mount in situ hybridization  
digoxygenin-labeled probe  
transcription, 128–129  
imaging, 130–131  
oocyte  
fixation, 129  
isolation and preparation, 129  
overview, 127–128  
recipes, 132–133  
troubleshooting, 131  
whole-mount in situ hybridization,  
129–130
- Oogenesis, stages, 83–84
- Optic tectum. *See* Eye
- Optical coherence tomography (OCT)  
overview of live imaging, 487, 489  
tadpole craniocardiac live imaging  
applications, 529–530  
cardiac imaging, 527–528  
craniofacial imaging, 525–527  
image processing, 528  
materials, 524–525  
overview, 524  
recipes, 530  
troubleshooting, 528–529
- O-R2. *See* Oocyte reagent 2
- Otx1, 650, 706
- Ovine luteinizing hormone (oLH),  
boosting  
egg harvesting, 28–30, 32  
natural mating, 39
- P**
- Pancreas  
animal cap organogenesis, 276  
tadpole tissue harvesting, 741
- Paracetamol. *See* Toxicity testing
- Paraformaldehyde, recipes, 162
- Patch-clamp. *See* Eye; Neuron patch-clamp;  
Oocyte patch-clamp
- Pathogen detection. *See* TaqMan assay for  
pathogen detection
- PBS. *See* Phosphate-buffered saline
- PBT, recipe, 133, 140, 146
- Peritoneal leukocyte (PL)  
adoptive transfer into tadpoles  
confocal microscopy, 906  
fluorescent labeling, 905  
infection of cells, 904  
materials, 903–904  
overview, 903, 906  
recipes, 906  
recipes, 906–907  
troubleshooting, 906
- flow cytometry  
leukocyte isolation, 909–911  
materials, 908–909  
overview, 908, 913
- recipes, 913  
staining, 911–912  
troubleshooting, 912–913
- isolation  
adult frogs, 930  
heat-killed *Escherichia coli* prepara-  
tion and injection,  
929–930  
materials, 928–929  
overview, 928, 931  
recipes, 932–933  
tadpoles, 929–930
- Peritoneum  
lavage. *See* Peritoneal leukocyte  
tadpole tissue harvesting, 740
- Phosphate-buffered saline (PBS), 192, 268,  
459, 504, 646, 743,  
766, 1014, 1044
- Phosphoprotein analysis in embryos  
embryo preparation, 311  
materials, 310–311  
overview, 310  
protein extraction, 311–312  
protein phosphatase treatment,  
312–313  
recipes, 313  
troubleshooting, 313  
western blotting, 312
- Pitts, Walter, 834
- PL. *See* Peritoneal leukocyte
- PLE. *See* Presumptive lens ectoderm
- PMSG. *See* Pregnant mare serum  
gonadotropin
- Polarity, oocyte studies, 84–85
- Polymerase chain reaction. *See* TaqMan  
assay for pathogen detection
- Pregnant mare serum gonadotropin  
(PMSG)  
egg harvesting, 28–29, 32  
embryo production, 37–38
- Presumptive lens ectoderm (PLE),  
dissection, 282–283
- Protein expression. *See* Oocyte heterolo-  
gous protein expression
- Proteinase K buffer, 140
- Proteomics. *See* INTACT proteomics; Mass  
spectrometry
- R**
- Rac, 489, 972–973
- Ranaviruses. *See* TaqMan assay for  
pathogen detection
- Regeneration  
advantages of *Xenopus* as model system,  
941–943  
axon. *See* Axon  
cellular and molecular methods for  
study, 945
- eye. *See* Lens regeneration; Rod  
regeneration
- Limbs. *See* Limb regeneration
- model system comparison, 942
- overview of *Xenopus* systems,  
943–944
- spinal cord. *See* Spinal cord  
regeneration
- tail. *See* Tail regeneration
- REMI transgenesis. *See* Restriction  
enzyme-mediated insertion  
transgenesis
- Restriction enzyme-mediated insertion  
(REMI) transgenesis, *Xenopus  
tropicalis*  
materials, 591–593  
microinjection preparation, 597–598  
oocyte extract preparation, 593–594  
overview, 591, 602  
recipes, 602–605  
sperm nuclei preparation, 595–597  
transgenesis, 598–601  
troubleshooting, 601–602
- Retinal ganglion cell. *See* Eye
- Retinotectal circuit. *See* Eye
- Rho, 489
- RhoA, 972–973
- Ringer's solution, 522
- RIPA buffer, 730
- RNA fluorescence in situ hybridization. *See*  
Oocyte fluorescence in situ  
hybridization
- RNA interference (RNAi), loss of function  
of immune genes by  
transgenesis  
egg microinjection, 925–926  
materials, 922–923  
overview, 922  
plasmid preparation, 924–925  
recipes, 926–927  
short hairpin RNA design, 923–924  
troubleshooting, 926
- RNAi. *See* RNA interference
- RNase A, 374
- RNA-Seq  
differential expression analysis  
data analysis, 712–713  
differential expression analysis,  
715–716  
materials, 709–710  
overview, 709  
quantification of gene expression  
data, 713–715  
RNA extraction, 710–711  
sample collection from embryos,  
710  
sequencing, 712  
sequencing library construction, 711  
principles, 705

- single-cell. *See* Single-cell RNA sequencing
- Rod regeneration
  - ablation studies
    - embryo generation, 982–983
    - immunohistochemistry, 985
    - materials, 981–982
    - metronidazole treatment and BrdU labeling, 983, 986
    - nitroreductase genotyping, 983–985
    - recipes, 987
    - troubleshooting, 985–986
  - overview of ablation using nitroreductase/metronidazole system, 981, 986–987
- Roux, Wilhelm, 219–220
- S**
- Schooling, neural development studies in tadpoles
  - data analysis, 880–882
  - LabJack software, 878
  - materials, 877–878
  - overview, 877, 881
  - recipes, 882
  - setup, 878–880
  - troubleshooting, 881
- SDB. *See* Sperm dilution buffer
- Sdf-1, 267
- sgRNA. *See* CRISPR–Cas9
- Single-cell RNA sequencing, nuclei preparation from *Xenopus tropicalis* embryos
  - applications, 643–644
  - embryo isolation and lysis, 638–640
  - genotyping, 640
  - materials, 636–638
  - nuclei
    - evaluation of yield and quality, 642–643
    - preparation, 640–642
  - overview, 636
  - prospects, 707
  - recipes, 644–646
  - troubleshooting, 643
- Sister chromatid cohesion. *See* Chromosome
- Skin
  - grafting
    - applications in immunology, 894, 898
    - materials, 894–895
    - recipes, 898
    - technique, 895–897
    - troubleshooting, 898
  - tadpole tissue harvesting back, 738
  - tail, 737–738
- Sox2, 760
- Sox7, 706
- Spemann, Hans, 220
- Spemann–Mangold graft
  - grafting, 223–225
  - materials, 222–224
  - overview, 222
  - recipes, 226
  - troubleshooting, 225–226
- Sperm
  - centromere and kinetochore assembly, 455–457
  - DNA replication analysis
    - demembrated sperm chromatin preparation, 475–476
    - high-speed supernatant extract preparation, 479–480
    - low-speed supernatant extract preparation, 478–479
    - materials, 473–474
    - nucleoplasmic extract preparation, 480–481
    - overview, 473, 482–483
    - recipes, 483–484
    - troubleshooting, 481–482
  - DNA replication studies, overview, 424
  - in vitro fertilization, 36, 57
  - microfluidic encapsulation of demembrated sperm nuclei in egg extracts
    - materials, 405–406
    - microfluidic device
      - loading, 408
      - preparation, 406–408
    - overview, 405, 409, 431
    - recipes, 409–410
    - recipes, 432–433
    - troubleshooting, 409
  - nuclei isolation and demembration
    - demembration, 431
    - materials, 428–429
    - overview, 428
    - sperm isolation, 430–431
    - testes harvesting, 429–430
  - pronuclear chromatin isolation and hydroxyapatite purification of histone complexes, 444–445
- REMI. *See* Restriction enzyme-mediated insertion transgenesis
- Sperm dilution buffer (SDB), 383, 471, 605
- Sperm storage buffer (SSB), 605
- Sperry, Roger, 834
- Spinal cord regeneration
  - cell transplantation, 955
  - materials, 953–954
  - overview, 953, 956
  - recipes, 956–957
  - resection, 955
  - spinal cord isolation and tissue dissociation, 954–955
  - troubleshooting, 955–956
- Spindle assembly. *See* Egg extract
- Spleen, tadpole tissue harvesting, 741, 743
- SSB. *See* Sperm storage buffer
- SSC, recipe, 133, 192
- SSCT, 505
- Steinberg's solution, 162, 173, 183, 205, 213, 286, 522, 802, 810, 831, 845, 856, 863, 882, 898
- Step One Plus. *See* TaqMan assay for pathogen detection
- Sterilization, maintenance systems, 7, 12
- T**
- Tadpole ChIA-PET. *See* ChIA-PET
- Tadpole collision avoidance. *See* Visual collision avoidance
- Tadpole live imaging
  - neurons. *See* Neuron imaging
  - optical coherence tomography
    - craniocardiac live imaging
      - applications, 529–530
      - cardiac imaging, 527–528
      - craniofacial imaging, 525–527
      - image processing, 528
      - materials, 524–525
      - overview, 524
      - recipes, 530
      - troubleshooting, 528–529
- Tadpole raising and maintenance to adult enhancements, 80–81
- healthy tadpole recognition, 26–27
- overview, 2–3
- Xenopus laevis*
  - materials, 41–42
  - metamorphosis to adult, 44
  - tadpole to metamorphosis
    - feeding, 42–43, 45
    - water cleaning and changing, 43
  - troubleshooting, 44
- Xenopus tropicalis*
  - materials, 14–15
  - recirculating system environmental parameters, 15
  - stages
    - 1–44, 16
    - 44–63, 16–17
    - 64 to juveniles, 17
    - adults, 18
    - juveniles to sexual maturity, 17
    - troubleshooting, 18–19
- Tadpole schooling. *See* Schooling
- Tadpole tissue harvesting
  - anesthesia, 736
  - blood, 739–740



## Index

- Tadpole tissue harvesting (*Continued*)  
brain, 738  
eye, 737  
fat body, 742  
gills, 738  
heart, 739  
kidney, 742  
intestine, 740–741  
liver, 741, 743  
lung, 741–742  
materials, 735–736  
overview, 735  
pancreas, 741  
peritoneum, 740  
recipes, 743  
skin  
back, 738  
tail, 737–738  
spleen, 741, 743  
storage of tissue, 743  
tail and head, 736  
thymus, 738–739
- Tadpole whole-mount in situ hybridization, RNA in situ hybridization and immunofluorescence  
colorimetric detection, 495–497, 500–501  
hybridization chain reaction and fluorescence detection, 497–498, 500  
materials, 491–494  
overview, 491  
recipes, 501–505  
troubleshooting, 499–500  
whole-mount immunofluorescence, 498–499
- Tail  
in vivo transfection into tadpole injection  
system, 757–758  
technique, 759  
materials, 756–757  
overview, 756  
recipes, 760  
tadpole preparation, 758–759  
troubleshooting, 759–760  
skin harvesting from tadpole, 737–738
- Tail regeneration  
drug screening assay  
amputation assay, 1020  
materials, 1016–1017  
overview, 1016, 1022–1023  
recipes, 1023  
scoring regeneration, 1020–1021  
screen design and drug preparation, 1017–1020  
troubleshooting, 1021–1022
- infrared laser-evoked gene induction  
amputation, 990–991  
IR-LEGO, 991–992  
materials, 989–990  
overview, 989, 993–994  
troubleshooting, 992–993  
overview, 945
- Tandem mass spectrometry. *See* Mass spectrometry
- TaqMan assay for pathogen detection  
DNA isolation, 22  
interpretation, 22–23  
materials, 20–21  
pathogen types, 20–21  
sample collection, 22  
thermal cycling, 22
- TBS. *See* Tris-buffered saline
- TE buffer, 183, 660, 691, 824
- Tectal cell. *See* Neuron imaging
- TEN buffer, 702
- Teratogens. *See* Frog embryo teratogenesis assay—*Xenopus*
- Testes  
isolation for in vitro fertilization, 35–36, 56–57  
sperm nuclei isolation. *See* Sperm
- TET buffer, 691
- Thymectomy, larva  
materials, 914–915  
overview, 914, 917–918  
recipes, 918  
recovery, 917  
screening, 917  
spawning, 915  
technique, 915–917  
troubleshooting, 917
- Thymus, tadpole tissue harvesting, 738–739
- Thyroid hormone (TH), 731–732
- TIDE analysis. *See* CRISPR–Cas9
- TIRF microscopy. *See* Total internal reflection fluorescence microscopy
- TNE buffer, 789
- Tolerance, immunity, 891
- Total internal reflection fluorescence (TIRF) microscopy, branching microtubules in egg extracts, 385, 388
- Toxicity testing  
drug-induced hepatotoxicity in embryos  
Bradford assay, 1042  
glutathione measurement, 1041–1042  
materials, 1038–1039  
miR-122 expression, 1040–1041  
overview, 1038, 1042–1043  
paracetamol control, 1040  
recipes, 1043–1044
- endocrine-disrupting chemicals. *See* Endocrine-disrupting chemicals
- FETAX. *See* Frog embryo teratogenesis assay—*Xenopus*  
overview, 996–997
- TPX2
- Transcriptomics. *See* RNA-Seq
- Transgenesis. *See* INTACT proteomics; I-SceI-mediated transgenesis; Restriction enzyme-mediated insertion transgenesis; RNA interference
- Transplant. *See also* Explant; Tumor transplantation  
cranial neural crest. *See* Cranial neural crest transplant  
Einsteck transplant. *See* Einsteck transplant  
historical perspective  
early embryology, 219–220  
recent advances, 220–221  
watershed discoveries, 220  
Spemann–Mangold graft. *See* Spemann–Mangold graft  
*Xenopus tropicalis*  
embryo preparation, 282  
materials, 280–282  
presumptive lens ectoderm dissection, 282–283  
recipes, 285–286  
transplant preparation, 284  
troubleshooting, 285
- Tricaine, 994
- Tris-buffered saline (TBS), 197
- TrkB, 792
- TT buffer, 691
- TTL0E buffer, 691
- Tumor transplantation  
collagen setting solution preparation, 900  
intravital microscopy, 899, 901  
materials, 899–900  
overview, 899, 901–902  
recipes, 902  
troubleshooting, 901  
tumor cell embedding in collagen matrix, 900–901
- U**
- Ubiquitylation. *See* Egg extract; Embryo extract
- UPS2 solution, 723
- V**
- Valap, 383, 403, 473
- VegT, 650, 706

- Visual collision avoidance, tadpole experiments  
data analysis, 874–875  
materials, 872  
overview, 872, 875  
projecting device, 873  
rearing medium, 876  
recording, 874  
troubleshooting, 875
- Vital dye, stock solutions, 110, 566
- Vocalization, ex vivo brain preparation for pathway analysis  
brain isolation, 884  
electrophysiology recordings, 886–887  
materials, 883–884  
overview, 883, 887  
recipes, 888  
troubleshooting, 887
- Vosper buffer, 422
- W**
- Water  
assessment and maintenance for husbandry systems  
*Xenopus laevis*, 5–6  
*Xenopus tropicalis*, 11–12
- cleaning and changing for *Xenopus laevis* tadpoles and adults, 43–44
- Western blot. *See* Antibodies; Chromatin-binding proteins;  
Phosphoprotein analysis in embryos
- Whole-mount immunocytochemistry  
applications, 193  
fluorescent staining and imaging, 196  
immunoperoxidase staining, 195–196  
materials, 193–195  
recipes, 197  
sectioning, 196
- Whole-mount immunofluorescence. *See* Oocyte whole-mount immunofluorescence
- Whole-mount in situ hybridization. *See* Embryo whole-mount in situ hybridization; Oocyte whole-mount in situ hybridization; Tadpole whole-mount in situ hybridization
- Wound healing  
cellular and molecular mechanism elucidation  
laser wounding of oocytes and embryonic epithelia, 972, 974
- materials, 969–970  
mechanical wounding of embryonic epithelia, 970–972  
overview, 969, 973–974  
recipes, 974–975  
Rho GTPase activation assay, 972–974  
troubleshooting, 973  
immunology, 891  
overview of *Xenopus* systems, 943–944
- X**
- XB extract buffer, 362, 369–370, 395, 409–410, 460, 471, 602–603
- Xenopus* embryonic thyroid assay (XETA), 1035
- Xenopus* oocyte culture medium (XOCM), 140, 147
- XETA. *See* *Xenopus* embryonic thyroid assay
- XOCM. *See* *Xenopus* oocyte culture medium
- Z**
- Z-factor scoring. *See* Chemical screening